

UNION  
GLASHÜTTE/SA.

GERMAN ART WATCHMAKING – 1893





- 4 A WORD FROM THE PRESIDENT
- 6 OUR PHILOSOPHY
- 10 OUR PASSION

## COLLECTION

- 14 BELISAR
- 34 NORAMIS
- 44 1893
- 56 VIRO
- 66 SERIS
- 74 SIRONA
- 80 TECHNICAL ATTRIBUTES
- 84 CUSTOMER SERVICE INFORMATION
- 86 TECHNICAL INFORMATION
- 91 IMPRINT

# DEAR WATCH-LOVERS,

---

Like most of you, we at UNION GLASHÜTTE will remember 2020 for a long time to come. Its challenges upon our lives and outlooks have focused everyone back on the essentials. At UNION GLASHÜTTE we took a step back from our everyday routines and reviewed many of our strategies, for many reasons. One was the importance of marking the 175th birthday of our founder, Johannes Dürstein. Born in 1845, this skilled entrepreneur laid the foundations for the UNION GLASHÜTTE company, back in 1893.

During his lifetime, Johannes Dürstein focused primarily on marketing Glashütte watches. Indeed, he made a significant contribution to establishing their excellent reputation around the world. His brilliant instinct for recognising the whims and wishes of the buying public inspired him to create UNION GLASHÜTTE, with one clear goal in mind: Making attractive, high-end watches of Glashütte quality, but at an affordable price. That day, he set the course that we at UNION GLASHÜTTE are still following to the day.

Serious watch buyers pay great attention to long-term value and exceptional craftsmanship when they choose a timepiece nowadays. For this reason, at UNION GLASHÜTTE, we continue to strive for great quality at an affordable price, by combining traditional techniques and a high level of craftsmanship with modern, cutting-edge production facilities, to create watches with truly lasting value.

This is particularly evident, for instance, in the hand-wound movements in the "1893 Johannes Dürstein" collection, developed entirely in-house and equipped with a three-quarter plate in true, characteristic Glashütte watchmaking tradition. The new generations of hand-wound moon phase or chronograph movements have also seen remarkable innovation, that now




includes indexless regulation and silicon balance-spring systems. Silicon spring technology greatly enhances the anti-magnetic properties and rate precision of those movements, and will also equip our latest automatic timepiece collections. Technical innovations such as these and our own in-house development help us to maintain outstanding performance levels at our facilities.

Beyond these important and almost timeless qualities of precision and technical refinement, however, it is also the enduring beauty and meticulous craftsmanship that make a UNION GLASHÜTTE timepiece a pleasure to wear and behold. Each individual watch is assembled, finished, calibrated and brought to life by hand in our studio. Indeed, it is the extraordinary amount of work we do by hand that makes each of our timepieces so special, and quite personal, to our watchmakers. Looking through the transparent case-back of your UNION GLASHÜTTE, it is their unique, masterful touch which gazes back, as reminder of this care.

As you take a few moments to browse through the catalogue, we are sure that you will catch many of these subtle details. Craftsmanship, style, precision and expert finishing look great on paper, but just imagine how fabulous they will look and feel, in your own carefully selected UNION GLASHÜTTE timepiece. We hope you enjoy our catalogue!




Franz Linder  
CEO of UNION GLASHÜTTE



# UNION GLASHÜTTE – GIVING TRADITION A CONTEMPORARY LOOK

UNION GLASHÜTTE embodies the spirit of luxury German watchmaking just as much now as it did over 125 years ago, standing through the years on a key principle set forth by its founder. When Johannes Dürstein created the UNION watchmaking factory in 1893, he was determined to produce the finest-looking watches of the highest quality, while keeping them absolutely affordable. We continue to uphold this guiding principle today and it carries us into the future.



1893

---

## MANUFACTURED WITH GREAT CARE AND FINESSE

Time takes time – especially when it is part of the finest Glashütte tradition. All our watches are manufactured with meticulous craftsmanship at our workshops in Glashütte and, to this day, the timepieces are fitted exclusively with mechanical movements. Every model that our watchmakers produce is assembled in several complex stages before being individually calibrated, finished and inspected. Each watch is individually manufactured from more than 200 extremely small components. For the movement alone, there can be far over 100 of these tiny parts. Manual craftsmanship plays a key role in every production step – whether it involves adding fine adornments, making precise adjustments to the rate accuracy or carefully mounting the hands.

This meticulous approach is monitored by means of comprehensive technical and visual inspections to ensure the high quality of our watches. Our watchmakers take all the necessary time for this: a watch cannot leave the Glashütte workshop – and impress its wearer with its ultimate precision – until it meets their impeccable standards.



# OUR STRONGEST SOURCE OF INNOVATION: LOOKING TO THE FUTURE

What would tradition be without innovation? Inconceivable. Because time stands still for nothing – not even watchmaking. That's why, at UNION GLASHÜTTE, high traditional skill and technical innovation come together in perfect harmony, in a complex process where modern technology is combined with the high proportion of vital manual craftsmanship ever at the centre of true watchmaking. Our experienced watchmakers oversee every production step, since it is their extensive know-how that feeds the continual refinement of our timepieces. Drawing on their manual dexterity and design experience, they also lend a touch of personality to UNION GLASHÜTTE timepieces, while ensuring that the watches are in line with the latest technical developments.

The calibres we have developed in-house, such as the manually-wound UNG-56.01, which features the three-quarter plate that is typical of Glashütte, bear witness to this, along with a variety of other technical innovations that have considerably enhanced the performance of our movements. The finely decorated UNG-58.S1 with moon phase has been dramatically enhanced under the aegis of our expert Glashütte watchmakers. It is now equipped with an indexless regulation system and a silicon balance-spring system which greatly improves the anti-magnetic properties and accuracy of the movement.

The UNG-07.S1 automatic movement also features a silicon balance-spring and, in addition, a newly developed mainspring barrel which supplies energy for up to 60 hours of power reserve. Step by step such achievements find their way into the collection and offer the wearers of our watches real added value.





## HOW WE UNDERSTAND PERMANENCE: QUALITY COMBINED WITH TIMELESS DESIGN

Even if a watch runs with absolute reliability and precision, it also deserves a sophisticated style that reflects the complexity of its inner workings. UNION GLASHÜTTE movements are finished with a wide range of artistic decorative elements that can be admired through the sapphire crystal case-back. The outer design of the watches themselves is slightly subdued, with no unnecessary flourishes to detract from the elegance of the overall composition: form and function in perfect harmony. High-quality finishing and the use of the best materials are just as much a matter of course as ease of operation for the wearer, and suitability for everyday use. In every respect, flawless attention-to-detail that ensures that these unique timepieces truly belong to those who wear them.

## A DIVERSE COLLECTION WITH A COMMITMENT TO TRADITION


Although meticulously traditional by design, the UNION GLASHÜTTE collection boasts an extremely wide range of different options. For all the variety in our watches, however, one thing remains consistent: their origin. "Made in Glashütte" is truly a seal of quality, which watch lovers connect with the highest expectations of style, quality and precision. The so-called "Glashütte Rule" requires a high proportion of local added value, which must be present in order for a watch to present itself as a timepiece from Glashütte. All watches from UNION GLASHÜTTE bear their appellation of origin, just like their long-established name, with pride and a sense of responsibility - for a tradition that has made history.

# PASSION AND CARE

The long list of stringent requirements that proudly fuel every facet of production behind the UNION GLASHÜTTE brand name is clear. The watchmakers at Glashütte in Saxony carefully work through an intensive series of stages to assemble, finish and calibrate each individual model. Some of the required parts are even made entirely by our watchmakers themselves.

## COMPONENT PRODUCTION

The component production stage involves the design and manufacturing of all the individual components and decorations that give the UNION GLASHÜTTE mechanical movements their unique character, including finely decorated rotors, balance cocks, automatic and gear train bridges. The experienced part-production team combines classic craftsmanship with the latest in modern technology. Traditional finishing elements such as the perlage of the wheel bridges and balance cocks or the Glashütte stripe finish on the automatic bridges are applied with a keen eye and exceptional skill.





## MOVEMENT ASSEMBLY

Building on the work of the component production team, movement assembly is where the mechanical hearts of our timepieces are brought to life. At this stage, the numerous filigree components that make up the various automatic movements are brought together for the first time. In two complex work stages, the basic movement with its wheels and escapement is first assembled. Once it has been regulated, the second step involves the complications. Everything is assembled by hand with exceptional flair, and is continually subject to meticulous inspection. The movements are checked for accuracy at full winding and in four positions – after all, they will later be responsible for ensuring that the completed timepieces tick to the precise UNION GLASHÜTTE rhythm.

## WATCH ASSEMBLY

In the final watch assembly stage, the hands, dial and movement are combined into a single working unit and the device is positioned in its designated place inside the case. These steps go hand in hand with particularly challenging technical and aesthetic requirements for the watchmakers. Only when the precision meets our specifications, the case-back is screwed down and the straps are attached.





## QUALITY MANAGEMENT

After assembly, each individual timepiece is inspected in a supreme, thorough quality management stage, whereby its water resistance, rate, appearance and function are put to the test one last time. If it passes these highly demanding tests, the UNION GLASHÜTTE timepiece is fitted with a high-quality strap and individual accessories that provide its new owner with all relevant information. After this, the watch can finally leave its home in Saxony. All UNION GLASHÜTTE timepieces carry with them the permanent hallmarks of their origin – the experience and care that have been bestowed upon them here – as they are worn on wrists throughout the world.



BELISAR





LIVE THE ADVENTURE.  
SAVOUR EACH MOMENT.

---

BELISAR



BELISAR



D009.907.27.057.00



---

# BELISAR

---

## A STRONG, SPORTY CHARACTER.

The versatile models in the Belisar collection appeal to any individualist with an active lifestyle. Whether strikingly dynamic, classically elegant or a retro character – these timepieces are sporty, through and through; their sophisticated functions are sure to capture the attention of any mechanically-minded fans. The flanks, which are typically screw-down, are not only truly eye-catching but also offer plenty of room for unusual combinations of materials.

---

BELISAR DATE SPORT

BELISAR CHRONOGRAPH SPORT

BELISAR CHRONOGRAPH MOON PHASE

BELISAR CHRONOGRAPH

BELISAR PILOT BIG DATE

BELISAR PILOT DATE

BELISAR PILOT POWER RESERVE

BELISAR PILOT CHRONOGRAPH

D009.907.27.057.00



---

## BELISAR DATE SPORT

---

A sporty and versatile timepiece with a maritime character: With a rotating bezel made of scratch-resistant sapphire crystal, a screwed crown and a sapphire crystal case-back, this timepiece is water-resistant up to a pressure of 20 bar (200 meters), making it the perfect partner for active adventures in water and on land. The two interchangeable straps, which are available in a rubber/vintage leather or stainless steel/fabric combination, are quick and easy to swap, ensuring that your watch always matches your style. The UNG-07.SI automatic movement provides a power reserve of up to 60 hours and features a silicon balance-spring.

---





D009.907.27.057.00  
with rubber strap



D009.907.11.057.00



D009.907.11.057.00  
with NATO strap

D009.927.26.207.00

---

## BELISAR CHRONOGRAPH SPORT

---



Dynamic, authentic and extremely versatile, the Belisar Chronograph Sport impresses by its style and sophisticated touches. It comes supplied with three different straps – a strong, vintage-style one in brown calfskin leather; a black rubber version, and one in textured black fabric, each easily interchangeable and a perfect complement to the handsome 44 millimetre stainless-steel case, its striking carbon bezel and the screwed-on rubber flanks. Bringing this outstanding timepiece to life is a UNG-27.01 mechanical movement with a power reserve of up to 60 hours.

---







D009.927.26.207.00  
with rubber strap



D009.927.26.207.00  
with fabric strap

D009.425.17.057.01/11 (\*1/\*2)

---

## BELISAR CHRONOGRAPH MOON PHASE

---



As beguiling on the wrist as in the night sky, the mysteries of the moon inspire. The elegant Belisar Chronograph instantly draws the eye with its classic lunar display, in which a finely-crafted golden moon traces a path over a deep-blue heaven. To add to the magic, the date indicator uses a crescent-shaped hand, while an hour counter (at 6 o'clock) and a minute counter (at 12) complete the chronograph essentials. Behind the scene is a high-quality UNG-25.01 movement with a power reserve of up to 60 hours.

---





D009.425.16.017.00/10 (\*1/\*2)



D009.425.16.017.01/11 (\*1/\*2)



D904.425.46.017.01/11 (\*1/\*2)

(\*1) Date display in German

(\*2) Date display in English



BELISAR





D009.425.16.087.00



D009.425.17.057.00



D009.427.16.262.00

---

## BELISAR CHRONOGRAPH

---



At once sporty chronograph and elegant, retro charmer, the Belisar Chronograph is equipped with state-of-the-art technology touched by tradition, with a vintage train-track minute scale, a domed dial and a tachymeter scale. Intricate details, such as the gently curved red tip of the chronograph second hand, the fine crown and push-button ornamentation, with on/off and reset icons as well as a “U” for UNION, attest to the care and creativity of the watchmaker. An ultra-modern mechanical movement UNG-27.01 with a power reserve of up to 60 hours affirms the model's undeniable place in the most modern of present-day watchmaking.

---





D009.427.16.052.00



D009.427.16.267.00



D009.427.11.057.00

---

# BELISAR

## PILOT DATE / BIG DATE

---

D009.626.16.057.00



A clear outlook and reliable instruments are essentials in the cockpit, and the Belisar Pilot models underline this fact. Their uncluttered dials with generous Super-LumiNova® treatment in critical areas are easy to read, any time of day, and their easy-grip crowns are simple to operate even when wearing gloves. Calfskin leather straps with rivets, saddle seams and hefty pin buckles add the final stylish touches to these robust watches.

The 45 millimetre model brings a Glashütte speciality – the big date – to these adventurous watches, while an attractive turquoise navigation cross features an arrowhead pointing to the large date display. The Belisar Pilot Date version (41 millimetre diameter) includes a clear triple date display, to keep the wearer up to date, under all skies.

---





D009.626.16.057.00



D002.607.16.057.00



D002.607.16.087.00



D002.624.16.087.00

---

## BELISAR PILOT POWER RESERVE

---



Time really does fly, with the Belisar Pilot Power Reserve, as it brings a contemporary take on historical pilot watches. Its generous 45 millimetre diameter and domed sapphire crystal with anti-reflective coating on both faces provide clear information at all times, while its oversized crown is easy to use, even in turbulent conditions. The indices and numerals contrast cleanly against the slightly rounded dial, and Super-LumiNova® treatment ensures optimum readability, even in darkness. The eye-catching date display at 3 o'clock is complemented by a distinctive power-reserve display at 7, in which the last five of the 42-hour reserve are shown in red, as they might be on an aircraft instrument panel.

---







D002.624.16.087.00



D002.624.16.057.00

D009.627.16.047.00




---

## BELISAR PILOT CHRONOGRAPH

---

The Belisar Pilot Chronograph models draw upon classic elements that defined the historical pilot watches of yesteryear, but thanks to a modern mechanical movement, they greatly surpass their ancestors. Their large stainless-steel case alone, with a diameter of 44 millimetres, optimises readability, and easy-grip crowns and push-buttons are usable even while wearing flying gloves. Clearly scaled, white hour and minute indices strike a bold contrast against the dial and remain visible even in darkness, thanks to Super-LumiNova® treatment, while the triple date at 9 o'clock shares the small-second display. The UNG-27.01 chronograph movement powers the watch with tremendous accuracy and provides a power reserve of up to 60 hours.

---





D009.627.16.047.00



D009.627.16.057.00



NORAMIS







THE MOST VALUABLE THINGS  
CARRY ON THROUGH TIME.

---

NORAMIS

NORAMIS



D012.407.16.097.00

---

# NORAMIS

---

## CHARMING CLASSICS.

The Noramis collection combines the timelessly classic elegance of the 50s and 60s with modern-day design and technology. Behind the nostalgic exterior lies an extremely powerful contemporary automatic movement, with expertly-finished mechanics and fascinating complications, sure to quicken the pulse of any timepiece enthusiast, anywhere in the world. Exquisite features, such as a curved glass and domed dials in selected shades of colour, such as British Racing Green with a fine metallic effect, as well as exquisite bracelets lend these timepieces their irresistible charm.

---

NORAMIS DATE  
NORAMIS CHRONOGRAPH  
NORAMIS POWER RESERVE

D012.407.16.097.00



---

## NORAMIS DATE

---

The Noramis Date is proof of how much beauty can be hidden behind a minimalist appearance. The highly rounded sapphire crystal with anti-reflective coating on both faces provides an optimal view of the dial, with no bezel at all, and the round 40 millimetre stainless-steel case looks good on any wrist, whether male or female. A calfskin leather strap with crocodile pattern, a stainless-steel Milanaise bracelet or a strap made of supple cordovan complete the retro look to perfection. The sapphire crystal case-back reveals the finely decorated automatic movement, which impresses with its long power reserve of up to 60 hours and an extremely stable rate, the result of an indexless regulation system.

---







D012.407.11.057.00



D012.407.11.057.01



D012.407.16.37.01

D008.427.11.057.00

---

## NORAMIS CHRONOGRAPH

---



The Noramis Chronograph proves that a watch does not have to be either sporty and strictly functional, or timelessly elegant, it can be both. This timepiece with stop function captivates with its refined aesthetics, which are complemented by meticulously placed details and exceptional craftsmanship. The generous case diameter of 42 millimetres offers plenty of space for the neatly arranged dial, tachymeter scale and Super-LumiNova®-treated hands and hour indicators. The automatic movement offers a remarkable power reserve of approximately 60 hours along with extremely stable precision.

---





D008.427.11.017.00



D008.427.16.037.01



D008.427.16.057.00

D900.424.46.037.01



---

## NORAMIS POWER RESERVE

---

The Noramis Power Reserve offers a distinct blend of nostalgia and modernity to create a thing of great beauty. The unique character of this 40 millimetre timepiece is reflected in the power reserve display of its high-quality movement, able to carry on for up to 42 hours without the watch being worn. This technological feat is elegantly conveyed on the dial by the delicate inscription and the interplay of the slender hands. On the rear, a sapphire crystal case-back reveals the exquisite mechanics of the watch.

---







D005.424.11.087.01



D005.424.16.037.01



D005.424.16.087.01

1893







WE TAKE OUR TIME,  
FOR A NOBLE RESULT.

---

1893

1893



D007.458.16.017.00



---

# 1893

---

## THE MODERN FACE OF GERMAN WATCHMAKING TRADITION.

The first UNION timepieces were produced in Glashütte in 1893. The collection of the same name combines Glashütte watchmaking techniques that have been passed down for generations with state-of-the-art developments. A number of details, including blued hands, lacquered dials and railway track chapter rings, are reminiscent of the watches' predecessors without appearing outdated at all. This collection also includes hand-wound calibres. Thanks to our continuous perfectionism and the use of modern technology like the silicon balance-spring system or an indexless regulation system, our watches are – more than ever – at the forefront of watchmaking.

---

1893 JOHANNES DÜRRSTEIN EDITION CHRONOGRAPH

1893 JOHANNES DÜRRSTEIN EDITION MOON PHASE

1893 JOHANNES DÜRRSTEIN EDITION POWER RESERVE

1893 SMALL SECOND

D007.459.16.017.00

---

## 1893 JOHANNES DÜRRSTEIN EDITION CHRONOGRAPH

---



The 1893 Johannes Dürstein Edition Chronograph rounds off the trilogy, which honours the founder of our company; it embodies the essence and character of our past and our future. Mechanics fans will love the state-of-the-art, hand-wound UNG-59.SI movement, which features a silicon balance-spring, an indexless regulation system and which is coupled with a chronograph function. The extraordinarily open movement design is visible at a glance through the sapphire crystal case-back, allowing the wearer to take a closer look at the switching mechanisms.

The classic design of the dial, featuring totalisers and red hour numerals around the circumferential chapter ring, gives the timepiece a surprisingly sporty look. It's hard to believe that these coloured accents hark back to the most well-known historic watch from UNION GLASHÜTTE – the “Universaluhr”. Even the white enamel-toned lacquer, blued hands and beautifully curved numerals have been passed down from historic pocket watches.

---





D007.459.16.017.00

D007.458.16.017.00



## 1893 JOHANNES DÜRRSTEIN EDITION MOON PHASE

This calendar with moon phase display is based on the "1893" collection which harks back to the founding year and is also dedicated to company founder Johannes Dürstein. There are just as many allusions to the Glashütte tradition, including the dial lacquered with glossy white enamel lacquer, the railway track chapter ring and blued hands. A scale to show the moon's progression, a feature seen on many historical "Grand Complications" from UNION GLASHÜTTE, is placed above the moon phase display. It rounds off the timepiece's traditional style, which also contains a number of contemporary elements.

At its core, beating inside the timepiece, is the finely decorated UNG-58.SI manual winding mechanism with a three-quarter plate. It also features an indexless regulation system and silicon balance-spring system. The redesigned spring barrel and narrow-movement balance-spring unit provide enough power for up to 60 hours of use. This miniature work of art is available as a limited edition of 126 pieces in rose gold or in a version with a stainless steel case.







D007.458.16.017.00



D007.458.11.017.00

D906.456.26.017.00



---

## 1893 JOHANNES DÜRRSTEIN EDITION POWER RESERVE

---

Johannes Dürstein founded the "Glashütter Uhrenfabrik UNION" in 1893. As a nod to its roots, this edition bears his name and brings history back to life with sophisticated details. While the 1893 Johannes Dürstein Edition Power Reserve looks to the past, it is also part of the future, confidently combining the art of watchmaking passed down through generations with the expertise of the present day. The hand-wound movement UNG-56.01 with traditional three-quarter plate, developed especially for UNION GLASHÜTTE, also satisfies modern needs with its power reserve of 60 hours. The watch face itself also displays timeless elegance: anthracite-coloured Arabic numerals contrast strikingly with the dial coated in white enamel. The slender blued hour and minute hands are supplemented by a small second, power reserve indicator and date display.

---





D007.456.16.017.00



D906.456.26.017.00

D903.428.76.013.00



---

## 1893 SMALL SECOND

---

The dials of these nostalgic timepieces are elaborately produced in two layers. They are separately polished to a high gloss finish and coated with enamel. Subtly curved numerals and a train track minute scale inspired by historical pocket watches complete the classic design.

The display to which the 1893 Small Second owes its name lies somewhat deeper, creating a relief-like effect. This timeless design is available with a stainless-steel case measuring 34 or 41 millimetres in diameter, or alternatively as an 18-carat rose gold version.

The automatic movements UNG 2899-ZZ6 in the larger and U 2895-2 in the smaller version ensure precise and reliable drive.

---







D007.228.16.017.00



D010.428.16.017.00

VIRGIL







THE PRECIOUSNESS  
OF TIME ITSELF,  
MADE VISIBLE.

---

VIRO

VIRO



D011.414.11.041.00



---

# VIRO

---

## TIME AT ITS PUREST.

The Viro models focus the mind on essentials: a linear design and an uncompromisingly elegant style that attracts the attention of all onlookers. Subtle yet confident, these timepieces are the young, fresh face of the German watchmaking tradition. Elegant indices are complemented only by subtle date displays or counters; that is indeed all the time that's needed. The calm and collected exterior of the Viro models conceals a high-quality automatic movement, which can be also admired through the sapphire crystal case-back.

---

**VIRO CHRONOGRAPH**

**VIRO DATE 41 MM**

**VIRO DATE 34 MM**

D011.414.16.081.01

---


## VIRO CHRONOGRAPH

---



Perfection is the be-all and end-all. The expressive Viro Chronographs combine functionality with sporty good looks. Their round stainless-steel case measuring 44 millimetres in diameter features start, stop and reset functions for measuring short time frames – all at the simple press of a button. The relief-embossed, lustre-finished auxiliary dials of the 30-minute and 12-hour displays are eye-catchers against the dial. Precision timekeeping is ensured by the technologically advanced chronograph movement with a power reserve of up to 60 hours, which also impresses with its considerable precision.

---





D011.414.11.051.00



D011.414.11.041.00



D011.414.16.031.00

D011.407.11.031.01

---

## VIRO 41 MM

---

Time reduced to the essentials: hour, minute, second, date. This philosophy of the Viro is consistently reinforced by its puristic design. Elaborate details such as the satin-finished bezel, the precision-blasted dial and the stylish gloss of the indices prove just how much sophistication can also be incorporated into a purposefully minimalistic design: the perfect understatement. With the Viro, the wearer knows, that behind this sober façade beats an equally carefully-crafted mechanical heart, visible through the sapphire crystal case-back.

---







D011.407.11.041.00



D011.407.16.031.00



D011.407.16.051.00

D011.207.16.291.00

---

## VIRO 34 MM

---



In every regard, the Viro plays upon the disarming effect of frank yet tasteful design. This exquisite, small-diameter 34 millimetre model gives every single second, minute and hour its moment in the limelight. Delicate baton indices and long, slender hands guarantee clarity without compromise, neatly set against the puristic backdrop of the dial. The subtle date display at 6 o'clock fits in harmoniously with the design, completed by a stainless steel case and a number of high-quality strap variants. Sapphire crystal on the front and back of the watch provide a clear and fascinating glimpse into the mechanical heart of this timelessly beautiful classic.

---





D011.207.11.031.01



D011.207.16.031.00



D011.207.16.111.00

SERIS







**MY TIME IS PRECIOUS.  
ALWAYS AND EVERYWHERE.**



**SERIS**

SERIS



D905.228.46.051.01

---

# SERIS

---

## BECAUSE SHE KNOWS WHAT SHE WANTS.

The Seris Small Second is designed for confident women who appreciate the elegant character and sensuality of a mechanical watch. The exceptional design of its dial captivates with a boldly positioned date at 12 o'clock. Its circular embedding, together with the round small second display, playfully allude to (ever-lucky) number 8. Exquisite materials and details add the finishing touch to the feminine design, which is understated enough to be worn every day. The secret of the Seris is hidden inside: a high-quality automatic movement with a power reserve of 60 hours. A highly private luxury, which proud owners can enjoy all to themselves when looking through the sapphire crystal case-back.

---

### SERIS SMALL SECOND

D013.228.61.116.02

---

## SERIS SMALL SECOND

---

Contemporary elegance and unique style make the Seris Small Second as individual as the woman who wears it. Petal-shaped hands and subtle indices accentuate the feminine aspects of the timepiece's design. The 36 millimetre case is connected to understated smooth leather or stainless steel straps via elongated, slender lugs. What's more, virtually every model features an exquisite detail that is sure to turn heads – whether it is a sparkling diamond bezel, a rose gold element, a stylishly embossed dial or shimmering mother-of-pearl. Despite its detail-rich design, the timepiece is by no means overloaded, which makes the Seris ideally suited to everyday wear. The UNG 28-01 automatic movement brings its subtle yet reliable rhythm to your daily life with a power reserve of up to 60 hours.

---







D013.228.66.116.00



D013.228.16.011.00



D013.228.11.021.00

SERIS



D013.228.11.121.00



D905.228.46.051.01



D013.228.16.121.00



D905.228.46.081.01



SIRONA







TRUE ELEGANCE IS  
ALWAYS ON TIME.

---

SIRONA

SIRONA



D006.207.16.426.00

---

# SIRONA

---

## SMALL YET HIGHLY SEDUCTIVE

The Sirona blurs the lines between timepieces and jewellery. Exuding elegance and charm, these delicate models nestle against the feminine wrist and discreetly emphasise the wearer's own personal style. A variety of dials in shimmering mother-of-pearl or elegant colours, provide the perfect setting for a sparkling adornment of diamonds. Luxurious details in 18-carat rose gold also speak of its great sophistication. But the Sirona is more than just extravagance for the eye: inside its dainty case beats an innovative, precise and reliable movement with automatic winding.

---

## SIRONA DATE



D901.207.44.116.01



---

## SIRONA DATE

---

The precision of a Glashütte timepiece and the sophistication of jewellery. The Sirona Date features a dainty stainless-steel case measuring just 32 millimetre in diameter; inside which beats a tiny yet precise mechanical movement. The timepiece's graceful, elongated lugs, the beautifully shaped crown and elegant leather strap or bracelet underscore its trendy yet timeless look. The sapphire crystal with anti-reflective coating on both faces ensures the best possible view of the finely crafted dials, whose two striking Arabic numerals and eight sparkling diamond indices convey a truly glamorous air.

---







D006.207.11.116.00



D006.207.16.426.00



D006.207.11.056.00

# TECHNICAL ATTRIBUTES

## WINDING DIRECTION:

## TURNING DIRECTION OF THE WATCH FOR WATCH WINDERS



Either direction

U 2892A2

U 2893-2

U 2895-2

U 2896

U 2897

U 2899-XX

UNG-07.XX

UNG-28.01

One direction

UNG-14.01

UNG-25.XX

UNG-27.XX

## MOVEMENTS – MODELS



### Calibre UNG-58.SI Manual Winding

### Calibre UNG-56.SI Manual Winding

**Movement dimensions:** 13 1/4", dia. 30.00 mm, height 5.20 mm

**Functions:** hours, minutes and small second, date indicated by a hand, dial windows for day, month and moon phase indication, day correction using corrector at 10 o'clock, 24-hour hand, 1 push-button, silicon spring, indexless regulation system, second stop

**Stones:** 20

**Power reserve:** 60 hours

**Frequency:** 28,800 vibrations per hour (4 Hz)

**Notes:** finely refined three-quarter plate with Glashütte stripe finish, engraving with gold inserts, highly polished safety catch, silicon spring, blued screws, shock protection

**Versions:**

**Calibre UNG-56.01** - Power Reserve - 20 stones



### Calibre UNG-59.SI Manual Winding Chronograph

**Movement dimensions:** 13 1/4", dia. 30.00 mm, height 7.30 mm

**Functions:** hours, minutes, small second, date display in dial window, date correction using corrector at 10 o'clock, chronograph function with 60-second, 30-minute and 12-hour counters, chronograph mechanism with cams, 2 push-buttons, 1 corrector; silicon spring, indexless regulation system, second stop

**Stones:** 25

**Power reserve:** 60 hours

**Frequency:** 28,800 vibrations per hour (4 Hz)

**Notes:** finely refined chronograph bridge with Glashütte stripe finish, engraving with gold inserts, gear train bridges and balance cock with perlage, highly polished safety catch, silicon spring, blued screws, shock protection



## Calibre U289X Automatic Movement

**Movement dimensions:** 11 ½", dia. 25.60 mm, height 3.60 mm

**Functions:** hours, minutes, small second, date display in dial window, automatic winding with ball bearing, second stop

**Stones:** 21

**Power Reserve:** 42 hours

**Frequency:** 28,800 vibrations per hour (4 Hz)

**Notes:** finely refined rotor with skeletonised UNION lettering and Glashütte stripe finish, finely refined bridges with stripe finish and decorative milling, blued screws, shock protection

### Versions:

**Cal. U2892A2** Movement with date - 21 stones

**Cal. U2893-2** Movement with second time zone (GMT) - 21 stones

**Cal. U2895** Movement with small second - 27 stones

**Cal. U2896** Movement with big date - 22 stones

**Cal. U2897** Movement with power reserve - 21 stones

**Cal. U2899-XXX** Movement with Flexible hour, minute and small second display - 21 stones



## Calibre UNG-07.01 Automatic Movement

## Calibre UNG-07.SI Automatic Movement

## Calibre UNG-28.01 Automatic Movement

**Movement dimensions:** 11 ½", dia. 25.60 mm, height 3.85 mm

**Functions:** hours, minutes and central seconds, date display in dial window, automatic winding with ball bearing, indexless regulation system, second stop

**Stones:** 21

**Power Reserve:** 60 hours

**Frequency:** 25,200 vibrations per hour (3,5 Hz)

**Notes:** finely refined rotor with skeletonised UNION lettering and Glashütte stripe finish, finely refined bridges with stripe finish and decorative milling, blued screws, shock protection

### Versions:

**Cal. UNG-07.SI** - Automatic Movement with silicon spring - 21 stones

**Cal. UNG-28.01** - Automatic Movement with small second - 26 stones





**Calibre UNG-25.01 Automatic Chronograph**  
**Calibre UNG-27.01 Automatic Chronograph**  
**Calibre UNG-27.02 Automatic Chronograph**  
**Calibre UNG-14.01 Automatic Chronograph**

**Movement dimensions:** 13 ¼", dia. 30.00 mm, height 7.90 mm

**Functions:** hours, minutes and small second, date indicated by a hand, dial windows for day, month and moon phase indication, day correction by using push button at 10 o'clock, 24-hour hand, chronograph function with 60-second, 30-minute and 12-hour counters, chronograph mechanism with cams, 3 push-buttons, automatic winding with ball bearing, second stop

**Stones:** 25

**Power Reserve:** 60 hours

**Frequency:** 28,800 vibrations per hour (4 Hz)

**Notes:** finely refined rotor with skeletonised UNION lettering and Glashütte stripe finish, gear train bridges and balance cock with perlage, blued screws, shock protection

**Versions:**

**Cal. UNG-27.01** Automatic chronograph movement with tricompass and date display - 27 stones

**Cal. UNG-27.02** Automatic chronograph movement with 30-minute-counter, date display - 27 stones

**Cal. UNG-14.01** Automatic chronograph movement with day and date display - 25 stones



**Calibre UNG-25.S1 Automatic Chronograph**

**Movement dimensions:** 13 ¼", dia. 30.00 mm, height 7.90 mm

**Functions:** hours, minutes and small second, date indicated by a hand, dial windows for day, month and moon phase indication, day correction using push-button at 10 o'clock, 24-hour hand, chronograph function with 60-second, 30-minute and 12-hour counters, chronograph mechanism with cams, 3 push-buttons, automatic winding with ball bearing, silicon spring, „indexless regulation system, second stop

**Stones:** 25

**Power Reserve:** 60 hours

**Frequency:** 28,800 vibrations per hour (4 Hz)

**Notes:** finely refined rotor with skeletonised UNION brand lettering and Glashütte stripe finish, bridges and cocks with perlage, engraving with gold inserts, silicon spring, blued screws, shock protection.

# CUSTOMER SERVICE INFORMATION

## SCOPE OF SERVICES



The scope of services provided is summarised as follows:  
(Customer service work may only be conducted by authorised service partners)


### 1 - Diagnostics

After the watch arrives at Customer Service, the condition of the watch is recorded and reported. Based on this information, we prepare a suitable quote for each customer.




### 2 - Disassembling/cleaning the movement

The movement is carefully dismantled and the hands and dial are lifted off. After this, the movement is disassembled into all its individual components. During this process, each component is checked for functionality and any possible signs of abrasion. Next, the components are cleaned and degreased using special cleaning liquids.



### 3 - Assembling of the movement

Any damaged or worn parts of the movement are repaired or replaced with new ones. Next, after all the parts have been inspected, the movement is reassembled by hand. All movement functions are reset and adjusted. Following this, the dial and hands are returned to their original positions.



### 4 - Setting new oil points

There are a number of places in the movement that need to be oiled. The tiny oil points are set by hand using a fine metal needle. They reduce friction and abrasion in the watch and should be replaced regularly (after each service interval). After this process, the watch is precisely tuned and all movement functions are checked.



## 5 - Ultrasonic cleaning

At the same time, the case is dismantled. The glasses are carefully pressed out and the push-buttons are removed. The components and, if necessary, the metal bracelet are cleaned in an ultrasonic bath to remove all residues and deposits.



## 6 - Reconditioning

To restore the case to its former glory, any scratches or marks that have occurred during use are removed by polishing and satin finishing. Depending on the case, a range of tools and work steps are required for this.



## 7 - Exchanging the seal

In daily use, seals are exposed to alkalis, salts and cosmetics. They are always replaced when the case is assembled to ensure that the watch remains watertight.



## 8 - Waterproofing

After the movement has been reassembled inside the case, it is expertly re-sealed. All functions and the optics are checked and then a water-tightness test is performed. This is first carried out in a vacuum and then as a pressure test.



## 9 - Returning the watch

Following an intensive quality control process, which includes comprehensive function tests on the watch as well as a power reserve test that is chosen depending on the movement, the watch is returned to the customer.

# TECHNICAL INFORMATION

Page	Product Range	Reference	Case Material
16	Belisar Date Sport	D009.907.27.057.00	Stainl. Steel, rubber flanks, sapphire bezel, sapph. crystal case-back, sapph. non-reflective coating
19	Belisar Date Sport	D009.907.11.057.00	Stainl. Steel, rubber flanks, sapphire bezel, sapph. crystal case-back, sapph. non-reflective coating
20	Belisar Chronograph Sport	D009.927.26.207.00	Stainl. steel / rubber flanks / carbon bezel, sapph. crystal case-back, sapph. non-reflective coating
22	Belisar Chronograph Moon Phase	D009.425.17.057.01 / 11	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
23	Belisar Chronograph Moon Phase	D009.425.16.017.00 / 10	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
23	Belisar Chronograph Moon Phase	D009.425.16.017.01 / 11	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
23	Belisar Chronograph Moon Phase	D904.425.46.017.01 / 11	Stainl. steel / flanks & bezel 18-ct. rose gold, sapph. crystal case-back, sapph. non-reflecting coating
24	Belisar Chronograph Moon Phase	D009.425.16.087.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
25	Belisar Chronograph Moon Phase	D009.425.17.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
26	Belisar Chronograph	D009.427.16.262.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
27	Belisar Chronograph	D009.427.16.052.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
27	Belisar Chronograph	D009.427.16.267.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
27	Belisar Chronograph	D009.427.11.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
28	Belisar Pilot Big Date	D009.626.16.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
29	Belisar Pilot Big Date	D002.607.16.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
29	Belisar Pilot Big Date	D002.607.16.087.11	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
30	Belisar Pilot Power Reserve	D002.624.16.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
31	Belisar Pilot Power Reserve	D002.624.16.087.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
32	Belisar Pilot Chronograph	D009.627.16.047.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
33	Belisar Pilot Chronograph	D009.627.16.057.00	Stainless steel, screwed flanks, sapphire crystal case-back, sapphire with non-reflective coating
36	Noramis Date	D012.407.16.097.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
39	Noramis Date	D012.407.11.057.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
39	Noramis Date	D012.407.16.057.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
39	Noramis Date	D012.407.16.037.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
40	Noramis Chronograph	D008.427.11.057.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
41	Noramis Chronograph	D008.427.11.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
41	Noramis Chronograph	D008.427.16.037.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
41	Noramis Chronograph	D008.427.16.057.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
42	Noramis Power Reserve	D900.424.46.037.01	Stainless steel / bezel & crown 18-ct. rose gold, sapph. crystal case-back, sapph. non-reflect. coating
43	Noramis Power Reserve	D005.424.11.087.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
43	Noramis Power Reserve	D005.424.16.037.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
43	Noramis Power Reserve	D005.424.16.087.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces



Diameter	Strap	Movement	Power Reserve	Water Resistance
45 mm	Rubber, vintage leather with double-fastener or pin buckle	Automatic UNG-07.S1	60 h	20 bar (200 m)
45 mm	Stainless steel, NATO-textile with double-fastener or pin buckle	Automatic UNG-07.S1	60h h	20 bar (200 m)
44 mm	Leather, rubber, fabric with double-fastener or pin buckle	Automatic UNG-27.01	60 h	10 bar (100 m)
44 mm	Rubber with pin buckle	Automatic UNG-25.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-25.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-25.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-25.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-25.S1	60 h	10 bar (100 m)
44 mm	Rubber with pin buckle	Automatic UNG-25.S1	60h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-27.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-27.01	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-27.01	60 h	10 bar (100 m)
44 mm	Stainless steel with double-fold fastener	Automatic UNG-27.01	60 h	10 bar (100 m)
45 mm	Leather with pin buckle	Automatic U 2896	42 h	10 bar (100 m)
41 mm	Leather with pin buckle	Automatic UNG-07.01	60 h	10 bar (100 m)
41 mm	Leather with pin buckle	Automatic UNG-07.01	60 h	10 bar (100 m)
45 mm	Leather with pin buckle	Automatic U 2897	42 h	10 bar (100 m)
45 mm	Leather with pin buckle	Automatic U 2897	42 h	10 bar (100 m)
44 mm	Leather with pin buckle	Automatic UNG-27.01	60 h	10 bar (100 m)
44 mm	Leather with pin buckle	Automatic UNG-27.01	60 h	10 bar (100 m)
39 mm	Leather with double-fold fastener	Automatic UNG-07.00	59 h	9 bar (100 m)
40 mm	Stainless steel with double-fold fastener	Automatic UNG-07.01	60 h	10 bar (100 m)
40 mm	Leather with double-fold fastener	Automatic UNG-07.01	60 h	10 bar (100 m)
40 mm	Leather with double-fold fastener	Automatic UNG-07.01	60 h	10 bar (100 m)
42 mm	Stainless steel with double-fold fastener	Automatic UNG-27.02	60 h	10 bar (100 m)
42 mm	Stainless steel with double-fold fastener	Automatic UNG-27.02	60 h	10 bar (100 m)
42 mm	Leather with double-fold fastener	Automatic UNG-27.02	60 h	10 bar (100 m)
42 mm	Leather with double-fold fastener	Automatic UNG-27.02	60 h	10 bar (100 m)
40 mm	Leather with double-fold fastener	Automatic U 2897	42 h	10 bar (100 m)
40 mm	Stainless steel with double-fold fastener	Automatic U 2897	42 h	10 bar (100 m)
40 mm	Leather with double-fold fastener	Automatic U 2897	42 h	10 bar (100 m)
40 mm	Leather with double-fold fastener	Automatic U 2897	42 h	10 bar (100 m)

# TECHNICAL INFORMATION

Page	Product Range	Reference	Case Material
48	1893 Johannes Dürstein Edition Moon Phase	D007.458.16.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
48	1893 Johannes Dürstein Edition Chronograph	D906.456.26.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
51	1893 Johannes Dürstein Edition Moon Phase	D007.458.11.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
52	1893 Johannes Dürstein Edition Power Reserve	D007.456.16.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
53	1893 Johannes Dürstein Edition Power Reserve	D906.456.26.017.00	Stainless steel / bezel & crown 18-ct. rose gold, sapph. crystal case-back, sapph. non-reflect. coating
54	1893 Small Second	D010.428.16.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
55	1893 Small Second	D007.228.16.017.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
55	1893 Small Second	D903.428.76.013.00	18-carat rose gold, sapphire crystal case-back, sapphire with non-reflective coating on both faces
58	Viro Chronograph	D011.414.11.041.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
60	Viro Chronograph	D011.414.16.081.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
61	Viro Chronograph	D011.414.16.051.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
61	Viro Chronograph	D011.414.16.031.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
62	Viro Date 41 mm	D011.407.11.031.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
63	Viro Date 41 mm	D011.407.11.041.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
63	Viro Date 41 mm	D011.407.16.031.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
63	Viro Date 41 mm	D011.407.16.051.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
64	Viro Date 34 mm	D011.207.16.291.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
65	Viro Date 34 mm	D011.207.11.031.01	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
65	Viro Date 34 mm	D011.207.16.031.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
65	Viro Date 34 mm	D011.207.16.111.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
68	Seris Small Second	D905.228.46.051.01	Stainless steel/ 18-carat rose gold with 68 brilliants, sapph. crystal case-back, sapph. with non-reflective coating
70	Seris Small Second	D013.228.61.116.02	Stainless steel with 68 brilliants, sapph. crystal case-back, sapph. with non-reflective coating
71	Seris Small Second	D013.228.66.116.00	Stainless steel with 68 brilliants, sapph. crystal case-back, sapph. with non-reflective coating
71	Seris Small Second	D013.228.16.011.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
71	Seris Small Second	D013.228.11.021.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
72	Seris Small Second	D013.228.11.121.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
73	Seris Small Second	D013.228.16.121.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
73	Seris Small Second	D905.228.46.081.01	Stainless steel/ 18-carat rose gold, sapph. crystal case-back, sapph. with non-reflective coating
76	Sirona Date	D006.207.16.426.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
78	Sirona Date	D901.207.44.116.01	Stainless steel/ 18-carat rose gold, sapph. crystal case-back, sapph. with non-reflective coating
79	Sirona Date	D006.207.11.116.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces
79	Sirona Date	D006.207.11.056.00	Stainless steel, sapphire crystal case-back, sapphire with non-reflective coating on both faces

Diameter	Strap	Movement	Power Reserve	Water Resistance
41 mm	Leather with double-fold fastener	Manual Winding UNG-58.SI	60 h	10 bar (100 m)
42 mm	Leather with double-fold fastener	Manual Winding UNG-59.SI	60 h	10 bar (100 m)
41 mm	Stainless steel with double-fold fastener	Manual Winding UNG-58.SI	60 h	10 bar (100 m)
41 mm	Leather with double-fold fastener	Manual Winding UNG-56.0I	60 h	10 bar (100 m)
41 mm	Leather with double-fold fastener	Manual Winding UNG-56.0I	60 h	10 bar (100 m)
41 mm	Leather with double-fold fastener	Automatic U 2899-ZZ6	42 h	10 bar (100 m)
34 mm	Leather with double-fold fastener	Automatic U 2895-2	42 h	5 bar (50 m)
41 mm	Leather with pin buckle in 18-carat rose gold	Automatic U 2899-ZZ6	42 h	3 bar (30 m)
44 mm	Stainless steel with double-fold fastener	Automatic UNG-14.0I	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-14.0I	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-14.0I	60 h	10 bar (100 m)
44 mm	Leather with double-fold fastener	Automatic UNG-14.0I	60 h	10 bar (100 m)
41 mm	Stainless steel with double-fold fastener	Automatic U 2892A2	42 h	10 bar (100 m)
41 mm	Stainless steel with double-fold fastener	Automatic U 2892A2	42 h	10 bar (100 m)
41 mm	Leather with double-fold fastener	Automatic U 2892A2	42 h	10 bar (100 m)
41 mm	Leather with double-fold fastener	Automatic U 2892A2	42 h	10 bar (100 m)
34 mm	Leather with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
34 mm	Stainless steel with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
34 mm	Leather with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
34 mm	Leather with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
36 mm	Leather with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Stainless steel with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Leather with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Leather with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Stainless steel with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Stainless steel with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Leather with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
36 mm	Leather with double-fold fastener	Automatic UNG-28.0I	60 h	5 bar (50 m)
32 mm	Leather with double-fold fastener	Automatic U 2892A1	41 h	5 bar (50 m)
32 mm	Stainless steel / 18-carat rose gold with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
32 mm	Stainless steel with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)
32 mm	Stainless steel with double-fold fastener	Automatic U 2892A2	42 h	5 bar (50 m)





# IMPRINT

---

## COLLECTION

The UNION GLASHÜTTE/SA. brand and its timepiece models are protected by law. Prices, models and designs are subject to change without notice.

UNION Uhrenfabrik GmbH Glashütte/Sa.

Frühlingsweg 5

D-01768 Glashütte/Sachsen

Germany

Phone +49 35053 4616 300

Fax +49 35053 4616 310

[info@union-glashuette.com](mailto:info@union-glashuette.com)

[www.union-glashuette.com](http://www.union-glashuette.com)

A COMPANY OF THE  **SWATCH GROUP** OF SWITZERLAND

